

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	128	okami-yoshinori\$.in. or Higaki-seiichi\$.in. or sato-h-takao\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:55
L5	2043	370/362-364.ccls. 370/381.ccls. or 370/222-224.ccls. or 370/225.ccls. or 370/228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:03
L6	5928	711/111-114.ccls. or 711/4.ccls. or 711/156.ccls. or 711/159.ccls. or 711/168.ccls. or 711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:09
L7	4043	370/216.ccls. or 370/222.ccls. or 370/464.ccls. or 370/498.ccls. or 370/458-462.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:14
L8	3501	714/5-6.ccls. or 714/42.ccls. or 714/704.ccls. or 714/770.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:15
L9	217	710/317.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:17
L10	51215	(second or two or multiple or plural\$3 or several) with disk with control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:32
L11	358420	(multiplex\$3 or select\$3 or switch\$3) with (channel or bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:20

L12	4099	(memory or stor\$4) with status with (disk or disc or dasd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:50
L13	2054	((simultaneous\$2 or concurrent\$2 or parallel or loop\$3 or ring) with (channel or bus)) same ((disk near2 array) or raid or dasd or ((plurality or multiple or several) near3 disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:22
L14	130638	((disk near2 array) or raid or dasd or ((plurality or multiple or several) near3 disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:23
L15	6	1 and 13 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:23
L16	242	10 and 11 and 12 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:33
L17	31	16 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:33
L18	33630	(spare\$2 or replace\$6) with disk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:35
L19	15	17 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:35
L21	4	19 and (@ad<="19990609" or @rlad<="19990609")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:47

L22	14625	5 or 6 or 7 or 8 or 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:49
L23	4385	(memory or stor\$4 or table) with status with (disk or disc or dasd)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:50
L24	601	22 and 10 and 11 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:46
L25	111	24 and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:51
L26	72	25 and (@ad<="19990609" or @rlad<="19990609")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:52
L27	16	26 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:52
L28	59	22 and 10 and 11 and 13 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:47
L29	25	28 and (@ad<="19990609" or @rlad<="19990609")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:47